Heritage Flush Door | www.deceuninck.co.uk

TECHNICAL GUIDE HERITAGE FLUSH DOOR

HERITAGE

BY DECEUNINCK

Like the award winning flush window, the Heritage Flush Door will provide your home with the kind of timeless style and beauty you would expect from a market-leading product.

#BestInClass performance means there is substance to match that style, giving you long-lasting peace of mind. With their 19th century charm and 21st century attributes, our stunning Heritage flush windows and doors will transform your property into the classic chocolate box home you have always dreamed of.

deceuninck

Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX T 01249 816 969 • F 01249 815 234 deceuninck.ltd@deceuninck.com • **www.deceuninck.co.uk**

Weather Performance

Internally we've adopted our tried and tested high performance multifunctional weatherseal. With a continuous seal welded at the corners, air tightness is always maintained meaning no loss of comfort inside the home.

Externally a new dual seal combination maximises water tightness and conceals hardware.

An integral drainage slope encourages water to drain away quickly and easily.


Security

Deceuninck supplies its Heritage flush door system with a comprehensive set of dedicated hardware as standard. Designed in conjunction with a market leading hardware brand, all components are 100% bespoke, giving you a level of performance and security that cannot be matched.

For the best looking and best performing flush door, fit hardware supplied and approved by Deceuninck.

Insulation

Heritage flush door whilst robust still offers a level of insulation far in excess of today's regulatory requirements. Designed to imitate products from the past, flush door does more than to replicate aesthetics, it will enhance the comfort of your home for years to come.



deceuninck

Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX T 01249 816 969 • F 01249 815 234 deceuninck.ltd@deceuninck.com • www.deceuninck.co.uk

Weather test results

		French Door		Single Door	
		Full Frame	Low Threshold	Full Frame	Low Threshold
	Size Tested	1990x2205	1990x2165	1030x2205	1030x2165
Air Permeability	Class	A4	A4	A4	A4
	Rating	600 Pa	600 Pa	600 Pa	600 Pa
Water tightness	Class	E1050	ЗА	E1050	9A
	Rating	1050 Pa	100 Pa	1050 Pa	600 Pa
Wind Resistance	Class	A3	A3	A3	A3
	Rating	1200 Pa	1200 Pa	1200 Pa	1200 Pa





U-Values

4/20/4 Ar	gon Cavity	4/14/4/14/4 Argon Cavity		
U _g 1.219	U _g 1.070	U _g 0.683	U _g 0.591	
U _d 1.4	U _d 1.3	U _d 1.1	U _d 1.0	
DSER's				
4/20/4 Ar	gon Cavity	4/14/4/14/4 Argon Cavity		
В	-3	A 5		



deceuninck


Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX T 01249 816 969 • F 01249 815 234 deceuninck.ltd@deceuninck.com • **www.deceuninck.co.uk**

Heritage Flush Door | www.deceuninck.co.uk



Heritage Colour Collection



- Authentic timber and aluminium look foil options
- Extremely durable
- 10 year manufacturer's guarantee
- Each colour has its own matching ancillaries, trims and accessories
- Available from stock



deceuninck

Deceuninck Limited

Stanier Road • Porte Marsh Industrial Estate • Calne • Wiltshire SN11 9PX T 01249 816 969 • F 01249 815 234 deceuninck.ltd@deceuninck.com • **www.deceuninck.co.uk**